



-Republic of the Philippines
BULACAN STATE UNIVERSITY
City of Malolos

BIDS AND AWARDS COMMITTEE FOR GOODS, SUPPLIES, AND SERVICES

July 17, 2018

BID BULLETIN NO. 1

MODIFYING THE BID DATA SHEET, SCHEDULE OF REQUIREMENTS AND TECHNICAL SPECIFICATIONS

This Bid Bulletin is issued to modify or amend items in the Bidding Documents for the **“Provision of Modular Partitions at Flores Hall”** with Reference No. **G-2018-15**, and shall form an integral part thereof, to wit:

I. Section I Invitation to Bid

No.	FROM	TO
2	The <i>Bulacan State University (BulSU)</i> now invites bids for Provision of Modular Partition at Flores Hall (G-2018-15) . Delivery of the Goods is required <i>within Thirty (30) calendar days upon receipt of Notice to Proceed and Purchase Order</i> . Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids (July 25, 2018), a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.	The <i>Bulacan State University (BulSU)</i> now invites bids for Provision of Modular Partition at Flores Hall (G-2018-15) . Delivery of the Goods is required <i>within Forty Five (45) calendar days upon receipt of Notice to Proceed and Purchase Order</i> . Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids (July 25, 2018), a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

II. Section III Bid Data Sheet

No.	FROM	TO
12.1 (b) (v)	<p>Additional Documents to be included in the Technical Component:</p> <ol style="list-style-type: none"> 1. Manufacturer's Authorization Form or Certificate as Authorized Distributor/Reseller or Certificate of Registration as Manufacturer/Fabricator; 2. Brochure, catalogues, clear copy of print-outs of items being offered (if downloaded); 3. Warranty Certificate; 4. Site Inspection Certificate; and 5. Very Satisfactory Performance Rating from the Supply Office (For previous supplier of BulSU) 	<p>Additional Documents to be included in the Technical Component:</p> <ol style="list-style-type: none"> 1. Manufacturer's Authorization Form or Certificate as Authorized Distributor/Reseller or Certificate of Registration as Manufacturer/Fabricator; 2. Brochure, catalogues, clear copy of print-outs of items being offered (if downloaded); 3. Warranty Certificate; 4. Site Inspection Certificate; and <u>5. Very Satisfactory Performance Rating from the the concerned end-user unit (For previous supplier of BulSU)</u>

III. Section VI Schedule of Requirements

No.	FROM	TO
	<p>Delivery Period for all items: Within thirty (30) calendar days upon receipt of Notice to Proceed and Purchase Order</p>	<p>Delivery Period for all items: Within <u>forty five (45) calendar days</u> upon receipt of Notice to Proceed and Purchase Order</p>

IV. Section VII Technical Specifications

No.	FROM	TO
A. PROVISION OF MODULAR PARTITION AT THE BUDGET OFFICE		
I. WORKSTATION (STAFF AREA) 6 sets		
1.	<p>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</p>	<p><u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u></p>
2.	<p>Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</p>	<p><u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u></p>
3.	<p>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1200 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric</p>	<p><u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1200 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code</u></p>

	code combination - 24-05 and 24-09, provision of hole for outlet included	<u>combination - 24-05 and 24-09, provision of hole for outlet included</u>
4.	Table - Top panel - Off-white formica finish complete with edging and accessories 1200 mm (L) x 600 mm (W)	Table - Top panel - Off-white <u>rushil</u> finish complete with edging and accessories 1200 mm (L) x 600 mm (W)
5.	Table - Side top panel - Off-white formica finish complete with edging and accessories 1200 mm (L) x 400 mm (W)	Table - Side top panel - Off-white <u>rushil</u> finish complete with edging and accessories 1200 mm (L) x 400 mm (W)
6.	Table - Leg panel - Off-white formica finish complete with edging and accessories 700 mm (L) x 400 mm (W)	Table - Leg panel - Off-white <u>rushil</u> finish complete with edging and accessories 700 mm (L) x 400 mm (W)
B. PROVISION OF MODULAR PARTITION AT THE CLINIC		
I. WORKSTATION (MP 1- 4 SETS)		
3	Table - Top panel - Off-white formica finish complete with edging and accessories 1100 mm (L) x 600 mm (W)	Table - Top panel - Off-white <u>rushil</u> finish complete with edging and accessories 1100 mm (L) x 600 mm (W)
II. WORKSTATION (MP 2- 2 SETS)		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1700 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1700 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Office table - Off-white formica finish complete with edging and accessories (high end finish - final design for approval of the FMMO)	Office table - Off-white <u>rushil</u> finish complete with edging and accessories (high end finish - final design for approval of the FMMO)
C. PROVISION OF MODULAR PARTITION AT THE COMMISSION ON AUDIT OFFICE		
I. WORKSTATION (STAFF AREA)		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 2150 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 2150 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1800 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1800 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1200 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1200 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
4	Table - Top Panel 1 (Off-white formica finish) 1700mm (L) x 500mm (W)	Table - Top Panel 1 (Off-white <u>rushil</u> finish) 1700mm (L) x 500mm (W)

5	Table - Top Panel 2 (Off-white formica finish) 1800mm (L) x 600mm (W)	Table - Top Panel 2 (Off-white <u>rushil</u> finish) 1800mm (L) x 600mm (W)
6	Table - Top Panel 3 (Off-white formica finish) 1200mm (L) x 600mm (W)	Table - Top Panel 3 (Off-white <u>rushil</u> finish) 1200mm (L) x 600mm (W)
7	Table - Top Panel 4 (Off-white formica finish) 600mm (L) x 400mm (W)	Table - Top Panel 4 (Off-white <u>rushil</u> finish) 600mm (L) x 400mm (W)
8	Table - Leg Panel (Off-white formica finish) 500mm (W) x 750mm (H)	Table - Leg Panel (Off-white <u>rushil</u> finish) 500mm (W) x 750mm (H)
9	Table - Leg Panel (Off-white formica finish) 600mm (W) x 750mm (H)	Table - Leg Panel (Off-white <u>rushil</u> finish) 600mm (W) x 750mm (H)
10	Table - Leg Panel (Off-white formica finish) 400mm (W) x 750mm (H)	Table - Leg Panel (Off-white <u>rushil</u> finish) 400mm (W) x 750mm (H)
D.	PROVISION OF MODULAR PARTITION AT THE COMMISSION ON AUDIT OFFICE	<u>PROVISION OF MODULAR PARTITION AT THE HUMAN RESOURCE MANAGEMENT OFFICE</u>
I. <u>WORKSTATION (STAFF AREA) 8 SETS</u>		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Partition - 5cm aluminum Off-white Connection w/ midrace way, 400 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 400 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
4	Table - Top panel - Off-white formica finish complete with edging and accessories 1200 mm (L) x 600 mm (W)	Table - Top panel - Off-white <u>rushil</u> finish complete with edging and accessories 1200 mm (L) x 600 mm (W)
5	Table - Side top panel - Off-white formica finish complete with edging and accessories 600 mm (L) x 400 mm (W)	Table - Side top panel - Off-white <u>rushil</u> finish complete with edging and accessories 600 mm (L) x 400 mm (W)
E. PROVISION OF MODULAR PARTITION AT THE PROJECT MANAGEMENT OFFICE		
I. <u>WORKSTATION (MAIN OFFICE STAFF AREA - 8 UNITS)</u>		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 900 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 900 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code</u>

	code combination - 24-05 and 24-09, provision of hole for outlet included	<u>combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 650 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 650 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Panel - Table Top Panel - wood grain rushil laminate finish complete with PVC edging and accessories 950 mm (L) x 700 mm (W)	<u>Panel - Table Top Panel - off-white rushil laminate finish complete with PVC edging and accessories 870 mm (L) x 600 mm (W)</u>
II. WORKSTATION (MAIN OFFICE HEAD AREA - 2 UNITS)		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1000 mm (W) x 1500mm (H) x 50mm (T) - Fabric/Glass Combination	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1000 mm (W) x 1500mm (H) x 50mm (T) - Fabric Glass Combination- Fabric code combination- 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 950 mm (W) x 1500mm (H) x 50mm (T) - Fabric/Glass Combination	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 950 mm (W) x 1500mm (H) x 50mm (T) - Fabric Glass Combination- Fabric code combination- 24-05 and 24-09, provision of hole for outlet included</u>
III. WORKSTATION (EXTENSION STAFF AREA - 6 UNITS)		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 900 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 900 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 650 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 650 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
F. PROVISION OF MODULAR PARTITION AT THE RECORDS OFFICE		
I. WORKSTATION (MP 1)		
1	Partition - 5cm aluminum Offwhite Connection w/ midrace way, 950 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09 provision of hole for outlet included	<u>Partition - 5cm aluminum Offwhite Connection w/ midrace way, 950 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09 provision of hole for outlet included</u>
2	Partition - 5cm aluminum Offwhite Connection w/ midrace way, 2650 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric	<u>Partition - 5cm aluminum Offwhite Connection w/ midrace way, 2650 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code</u>

	code combination - 24-05 and 24-09 provision of hole for outlet included	<u>combination - 24-05 and 24-09 provision of hole for outlet included</u>
3	Table - Top panel - Off white formica finish complete with edging and accessories 2650 mm (L) x 600 mm (W)	Table - Top panel - Off white <u>rushil</u> finish complete with edging and accessories 2650 mm (L) x 600 mm (W)
4	Table - Leg panel - Off white formica finish complete with edging and accessories 700 mm (L) x 600 mm (W)	Table - Leg panel - Off white <u>rushil</u> finish complete with edging and accessories 700 mm (L) x 600 mm (W)
5	Table - Counter panel - Off white formica finish complete with edging and accessories 2650 mm (L) x 300 mm (W)	Table - Counter panel - Off white <u>rushil</u> finish complete with edging and accessories 2650 mm (L) x 300 mm (W)
II. WORKSTATION (MP 2)		
1	Partition - 5cm aluminum Offwhite Connection w/ midrace way, 1050 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09 provision of hole for outlet included	<u>Partition - 5cm aluminum Offwhite Connection w/ midrace way, 1050 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09 provision of hole for outlet included</u>
2	Partition - 5cm aluminum Offwhite Connection w/ midrace way, 1700 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09 provision of hole for outlet included	<u>Partition - 5cm aluminum Offwhite Connection w/ midrace way, 1700 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09 provision of hole for outlet included</u>
3	Table - Top panel - Off white formica finish complete with edging and accessories 2650 mm (L) x 600 mm (W)	Table - Top panel - Off white <u>rushil</u> finish complete with edging and accessories <u>1000 mm (L) x 600 mm (W)</u>
4	Table - Top panel - Off white formica finish complete with edging and accessories 2650 mm (L) x 600 mm (W)	<u>Table - Side top panel - Off white rushil finish complete with edging and accessories 1100 mm (L) x 250 mm (W)</u>
5	Table - Counter panel - Off white formica finish complete with edging and accessories 2650 mm (L) x 300 mm (W)	<u>Table - Leg panel - Off white rushil finish complete with edging and accessories 700 mm (L) x 600 mm (W)</u>
III. WORKSTATION (HEAD OFFICE AREA)		
G. PROVISION OF MODULAR PARTITION AT THE RESEARCH OFFICE		
I. WORKSTATION (STAFF AREA)		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 2400 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 2400 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1200 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1200 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Table - Top Panel 1 (Off-white formica finish) 1200mm (L) x 600mm (W)	Table - Top Panel 1 (Off-white <u>rushil</u> finish) 1200mm (L) x 600mm (W)

4	Table - Top Panel 2 (Off-white formica finish) 600mm (L) x 400mm (W)	Table - Top Panel 2 (Off-white <u>rushil</u> finish) 600mm (L) x 400mm (W)
5	Table - Top Panel 3 (Off-white formica finish) 1800mm (L) x 600mm (W)	Table - Top Panel 3 (Off-white <u>rushil</u> finish) 1800mm (L) x 600mm (W)
6	Table - Top Panel 4 (Off-white formica finish) 2400mm (L) x 600mm (W)	Table - Top Panel 4 (Off-white <u>rushil</u> finish) 2400mm (L) x 600mm (W)
7	Table - Leg Panel (Off-white formica finish) 600mm (W) x 750mm (H)	Table - Leg Panel (Off-white <u>rushil</u> finish) 600mm (W) x 750mm (H)
8	Table - Leg Panel (Off-white formica finish) 400mm (W) x 750mm (H)	Table - Leg Panel (Off-white <u>rushil</u> finish) 400mm (W) x 750mm (H)
II. WORKSTATION (DIRECTOR'S AREA)		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 2400 mm (W) x 1300mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 2400 mm (W) x 1300mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1300mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1300mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Unit head office table (high end finish with edging , wood grain formica finish - final design for approval of the FMMO)	Unit head office table (high end finish with edging , wood grain <u>rushil</u> finish - final design for approval of the FMMO)
H. PROVISION OF MODULAR PARTITION AT THE SECOND FLOOR (FLORES HALL)		
I. WORKSTATION (REGULAR L-SHAPED SINGLETYPE - 4 UNITS)MP 1		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1600 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1600 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1250 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1250 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Partition - 5cm aluminum Off-white Connection w/ midrace way, 850 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 850 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
II.WORKSTATION (Student Affairs – 1 unit) MP 2		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 850 mm (W) x 1200mm (H) x 50mm (T) -	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 850 mm (W) x 1200mm (H) x 50mm (T) - Fabric</u>

	Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1600 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1600 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Partition - 5cm aluminum Off-white Connection w/ midrace way, 2065 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 2065 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
4	Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
III.WORKSTATION (Research and Development- 1 unit) MP 3		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Partition - 5cm aluminum Off-white Connection w/ midrace way, 2800 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 2800 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
IV.WORKSTATION (SMALL SINGLE TYPE/ DOI/ HR- 4 UNITS) MP 4		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 850 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 850 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 900 mm (W) x 1200mm (H) x 50mm (T) -	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 900 mm (W) x 1200mm (H) x 50mm (T) - Fabric</u>

	Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
V. WORKSTATION (CAO STAFF - 1 UNIT) MP 5		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1800 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1800 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Partition - 5cm aluminum Off-white Connection w/ midrace way, 800 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 800 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
VI. WORKSTATION (CAO STAFF - 1 UNIT) MP 6		
1	Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 600 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
2	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1400 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1400 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>
3	Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1200mm (H) x 50mm (T) - Fabric/Acrylic Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included	<u>Partition - 5cm aluminum Off-white Connection w/ midrace way, 1300 mm (W) x 1200mm (H) x 50mm (T) - Fabric Glass Combination - Fabric code combination - 24-05 and 24-09, provision of hole for outlet included</u>

Notes:

- * Specifications/items/descriptions in the Bidding Documents of Provision of Modular Partitions at Flores Hall that are not mentioned above will remain as it is.
- * Modified and additional entries are in underlined, bold, and italicized.

This Bid Bulletin is issued this 17th day of July 2018 for the guidance and information of all concerned.


ISABELITA C. BENEDICTOS
Chairperson, BAC Goods & Services

Conforme:

Name of the Bidder (Company)

Representative of the Bidder

Date Received