

REOUEST FOR OUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 21-197-05
ADDRESS:	Purchase Request No. G-2021-04-0287
CONTACT No.	Purpose: for MIS use
TIN No.	ABC: 74,700.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please quote your lowest price on the item/s listed below comprising the necessary taxes.
- 2. It is mandatory to indicate the brand and/or model of the items being offered and to attach a brochure thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:

a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c)
Authority to Print Receipt; d) DTI/SEC Registration; e) PhilGEPS Membership Certificate; and f) PCAB License in

6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

TEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
l					
1	Drill Bit Hole	1set			
2	Drill Bit Masonary	1set			
3	Drill Bit Wood	1set			
II					
1	Cable Ties 4.8mm x 430mm	4pack			
2	Cable Ties 7.6mm x 300mm	4pack			
3	Cable Ties 7.6mm x 370mm	4pack			
4	Cable Ties 9mm x 430mm	4pack			
5	Plastic Moulding 1 1/2" x 8'	50pieces			
6	Plastic Moulding 1" x 8'	50pieces			
III					
1	Oscillating Tool	1unit			
	Specification:				
	Battery Voltage:12V				
	No-load rotation:5,000 – 20,000 opm				
	Oscillation angle on left and right:1.4 °				
	Heady Duty:Yes				
	Brushless Motor:Yes				
	Speed Selection:Yes				
	Please attach brochure and indicate days of				
	delivery				

Accomplish	ed by:		By the authority of the University	y President. į	
	Supplier's Representative	_		LLY P. MARO	MA
	(Print name and Signature)		BA	AC Chairman	
Date Accom	plished :		Canvassed by:		
BulSU-OP-I Revision: 1	PU-03F3		Nam	e and Signature	

Revision: I



REOUEST FOR OUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 21-197-05
ADDRESS:	Purchase Request No. G-2021-04-0287
CONTACT No.	Purpose: for MIS use
TIN No.	ABC: 74,700.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please quote your lowest price on the item/s listed below comprising the necessary taxes.
- 2. It is mandatory to indicate the brand and/or model of the items being offered and to attach a brochure thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:

a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; d) DTI/SEC Registration; e) PhilGEPS Membership Certificate; and f) PCAB License in cases of 6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

TEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
	Cordless: Yes				
	Inclusions:				
	5 x sanding sheets, K 2x80, 2x120, 1x240 (2 608 621 104)				
	1 x Plunge Cutting Blade (2 608 662 508)				
	1 x segmental saw blade (2 608 662 527)				
	1 x sander plate (2 608 661 B11)				
	2 x 12V 2.0Ah Battery				
	1 x GAL 12V-40 Charger				
	Warranty: Minimum of 1 year Warranty				
2	Power Screwdriver Cordless	5unit			
	Specification:				
	Battery voltage:3.6V				
	Battery type:Lithium-ion				
	Battery Capacity:1.5Ah				
	No-load speed:360 rpm				
	Chuck capacity:6.35				
	Torque settings:5 + Maximum Performance Mode				
	Torque (soft/hard/max.):2.5/5/- Nm				
	Activation Modes:Push Start & Press Button				
	Charging Port:Micro USB				
	Please attach brochure and indicate days of delivery				

Accomplished by:	Produce the day of the Hell confe Provident
Supplier's Representative	By the authority of the University President. DR. DOLLY F. MAROMA
(Print name and Signature)	BAC Chairman
Date Accomplished :	Canvassed by:
BulSU-OP-PU-03F3	Name and Signature



REOUEST FOR OUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 21-197-05
ADDRESS:	Purchase Request No. G-2021-04-0287
CONTACT No.	Purpose: for MIS use
TIN No.	ABC: 74,700.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please quote your lowest price on the item/s listed below comprising the necessary taxes.
- 2. It is mandatory to indicate the brand and/or model of the items being offered and to attach a brochure thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:

a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; d) DTI/SEC Registration; e) PhilGEPS Membership Certificate; and f) PCAB License in cases of 6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
	Tool Holder:1/4" Inter HEX				
	Warranty: Minimum of 1 year Warranty				
3	Thermal Camera	1unit			
	Specification:				
	Measuring application:Spot temperature measurement,				
	Thermal bridge, Dew point				
	Measurement range:-40 °C +1000 °C				
	Measuring accuracy of IR:± 1.0 °C				
	Optics:50:1				
	Operating temperature:-10 – 50°C				
	Storage temperature:-20 – 70°C				
	Working range:0.1 – 5m				
	Resolution:0.1°C				
	Measuring accuracy of relative humidity:± 2				
	Laser diode:Laser class 2, 635 nm				
	Frame buffer:>200				
	Memory type:Internal memory				
	File format of image:.jpg				
	Shock protection:1m				
	Display type:TFT LCD				
	Size of display:2.8"				
	Please attach brochure and indicate days of				
	delivery				

Accomplished by:		
		By the authority of the University President.
	Supplier's Representative	DR. DOLLY F. MAROMA
	(Print name and Signature)	BAC Chairman
Date Accomplished	:	Canvassed by:
BulSU-OP-PU-03F3 Revision: 1		Name and Signature



REOUEST FOR OUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 21-197-05
ADDRESS:	Purchase Request No. G-2021-04-0287
CONTACT No.	Purpose: for MIS use
TIN No.	ABC: 74,700.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please quote your lowest price on the item/s listed below comprising the necessary taxes.
- 2. It is mandatory to indicate the brand and/or model of the items being offered and to attach a brochure thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:

a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authorit to Print Receipt; d) DTI/SEC Registration; e) PhilGEPS Membership Certificate; and f) PCAB License in cases of 6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
	Warranty: Minimum of 1 year Warranty				
IV					
1	Moist Filter for Compressor	1piece			
	Specification:				
	Description: Air Compressor Moisture Trap Oil Water				
	Filter				
	Regu;ar Lubricator				
	Port Size: 1/4" (6mm) BSP				
	Regulating Pressure Range: 30-120 PSI				
	Max Regulator Pressure: 130 PSI				
	Particulate Filtration: 40micron				
	Max Flow Rate: 26CFM (750 L/Min)				
	Max Press: 9.9Kgf/ cm ²				
2	Portable Compressor with Nozzle	1set			
	Specification:				
	Compressor:				
	Motor: 2 Horsrepower				
	Max Pressure: 115 psi				
	Displacement: 3.7 cfm				
	Tank Capacity: 25 Liters				
	Nozzle:				
	Please attach brochure and indicate days of				
	delivery				

Accomplished by:	By the authority of the University President.
Supplier's Representative (Print name and Signature)	DR. DOLLY F. MAROMA BAC Chairman
Date Accomplished :	Canvassed by:
BulSU-OP-PU-03F3 Revision: 1	Name and Signature



REOUEST FOR OUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in			
COMPANY NAME:	Quotation No. 21-197-05		
ADDRESS:	Purchase Request No. G-2021-04-0287		
CONTACT No.	Purpose: for MIS use		
TIN No.	ABC: 74,700.00		
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase		
EMAIL ADDRESS:	Order		

INSTRUCTIONS TO SUPPLIERS:

- 1. Please quote your lowest price on the item/s listed below comprising the necessary taxes.
- 2. It is mandatory to indicate the brand and/or model of the items being offered and to attach a brochure thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:

a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; d) DTI/SEC Registration; e) PhilGEPS Membership Certificate; and f) PCAB License in

TEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
	70.5m PE Hose				
	Tire Pressure Measurement Pen				
	Tire Aeration Lance				
	Air Blow Accesorry				
	Sealed Tape				
	Rubber Joint				
	Barb Fittings				
	America Internal Thread Male Connector				
	America Internal Thread Female Connector				
	Adapter				
	Safety Nozzle				
	Pump Needle				
	America External Thread Connector				
	Internal Thread Nozzle				
	External Thread Nozzle				
	Warranty: Minimum of 1 year Warranty				
	,				
	Please attach brochure and indicate days of				
	delivery				
Accomplis	hed by:		By the authority of the University	y President.	
				afrid	
Supplier's Representative			DR. DOLLY V. MAROMA		
	(Print name and Signature)		В.	AC Chairman	
Date Accomplished :			Canvassed by:		

Name and Signature

Revision: 1 EGT/07/14/2021

BulSU-OP-PU-03F3