



Republic of the Philippines
BULACAN STATE UNIVERSITY
City of Malolos

**BIDS AND AWARDS COMMITTEE FOR
GOODS, SUPPLIES, AND SERVICES**

November 29, 2021

Bid Bulletin No. 1
**Modification in the Invitation to Bid, Schedule of Requirements and
Technical Specification**

This Bid Bulletin no. 1 is issued to modify or amend items in the Bidding Documents for project “**Re-Bidding: Procurement of FABLAB Machines Consumables**” with reference no. **G-2021-13**. This shall form an integral part of the said Bidding Documents.

I. Invitation to Bid

No.	FROM	TO
2	The <i>Bulacan State University (BulSU)</i> now invites bids for <i>Re-bidding: Procurement of FABLAB Machines Consumables (G-2021-13)</i> . Delivery of the Goods is required within <i>Thirty (30) calendar days</i> upon receipt of Notice to Proceed and Purchase Order. Bidders should have completed, <i>within the last three (3) years</i> from the date of submission and receipt of bids (December 7, 2021), a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.	The <i>Bulacan State University (BulSU)</i> now invites bids for <i>Re-bidding: Procurement of FABLAB Machines Consumables (G-2021-13)</i> . Delivery of the Goods is required within <i>Sixty (60) calendar days</i> upon receipt of Notice to Proceed and Purchase Order. Bidders should have completed, <i>within the last three (3) years</i> from the date of submission and receipt of bids (December 7, 2021), a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

II. Section VI. Schedule of Requirements (Lot 1, Lot 2 and Lot 3)

	FROM	TO
Delivered, Weeks/Months	Thirty (30) Calendar Days upon receipt of Notice to Proceed.	<u>Sixty (60)</u> Calendar Days upon receipt of Notice to Proceed.

III. Section VII. Technical Specifications

Please see attached “new form” for the Technical Specifications for Lot 1 and Lot 2

This Supplemental/ Bid Bulletin no. 1 is issued this 29th day of November, 2021 for guidance and information of all concerned.

Dr. DOLLY P. MAROMA

Chairperson, BAC for Goods, Supplies & Services

Received by the Bidder:

Signature over printed name/ Company
Date and time: _____

Section VII. Technical Specifications

Item	Description	Qty./unit	Statement of Compliance
LOT 1			
1	COLLETS 3.032	2/pcs	<p>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.</p> <p>Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended</p>
	Item Dimensions (mm):3.032 X 1.000 L:40.00mm Item Weight:0.30-0.35 Dia. Range1.0000 - 26.0000 Clamping range: 3 to 2.5		
2	COLLETS 4.032	2/pcs	
	Item Dimensions (mm):4.032 X 1.000 L: 40mm Item Weight:0.30-0.35 Dia. Range1.0000 - 26.0000 Clamping range: 4 to 3		
3	COLLETS 5.032	2/pcs	
	Item Dimensions (mm):5.032 X 1.000 L:40 mm Item Weight: 0.33-0.35 Dia. Range1.0000 - 26.0000 Clamping range: 5 to 4		
4	COLLETS 6.032	2/pcs	
	Item Dimensions (mm):6.032 X 1.000 L:40mm Item Weight:0.30-0.35 Dia. Range1.0000 - 26.0000 Clamping range: 6 to 5		
5	COLLETS 7.032	2/pcs	
	Item Dimensions (mm):7.032 X 1.000 L:40mm Item Weight: 0.30- 0.35 Dia. Range 1.0000 - 26.0000 Clamping range: 7to 6		
6	COLLETS 8.032	2/pcs	
	Item Dimensions (mm):8.032 X 1.000 L:40mm Item Weight: 0.30- 0.35 Dia. Range 1.0000 - 26.0000 Clamping range: 8 to 7		
7	COLLETS 9.032	2/pcs	
	Item Dimensions (mm):9.032 X 1.000 L:40mm Item Weight0.30-0.35Dia. Range 1.0000 - 26.0000 Clamping range: 9 to 8		
8	COLLETS 10.032	2/pcs	
	Item Dimensions (mm):10.032 X 1.000 L:40mm Item Weight:0-30-0.35 Dia. Range1.0000 - 26.0000 Clamping range :10 to 9		
9	COLLETS 11.032	2/pcs	
	Item Dimensions (mm):11.032 X 1.000 L:40mm Item Weight:0.30-0.35 Dia. Range1.0000 - 26.0000 Clamping range: 11 to 10		
10	COLLETS 12.032	2/pcs	
	Item Dimensions (mm):12.032 X 1.000 L:40mm Item Weight: 0.3-0.35 Dia. Range:1.0000 - 26.0000 Clamping range 12 to 11		
11	COLLETS 13.032	2/pcs	
	Item Dimensions (mm):13.032 X 1.000 L:40mm Item Weight:0.3- 0.35 Dia. Range: 1.0000 - 26.0000 Clamping range 13 to 12		
12	COLLETS 14.032	2/pcs	
	Item Dimensions (mm):14.032 X 1.000 L:40mm Item Weight:0.3 -0.35 Dia. Range:1.0000 - 26.0000 Clamping Range: 14 to 13		
13	COLLETS 15.032	2/pcs	

	Item Dimensions (mm):15.032 X 1.000 L:40mm Item Weight: 0.29-0.35 Dia. Range1.0000 - 26.0000 Clamping range:15 to 14		sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation,
14	COLLETS 16.032	2/pcs	
	Item Dimensions (mm):16.032 X 1.000 L:40mm Item Weight:0.28-0.35 Dia. Range1.0000 - 26.0000 Clamping range: 16 to 15		
15	COLLETS 17.032	2/pcs	
	Item Dimensions (mm):17.032 X 1.000 L:40mm Item Weight:0.25 -0.35 Dia. Range 1.0000 - 26.0000 Clamping range 17 to 16		
16	COLLETS 18.032	2/pcs	
	Item Dimensions (mm):18.032 X 1.000 L:40mm Item Weight:0.25-0.35 Dia. Range1.0000 - 26.0000 Clamping range: 18 to 17		
17	COLLETS 19.032	2/pcs	
	Item Dimensions (mm):19.032 X 1.000 L:40mm Item Weight:0.20-0.35 Dia. Range:1.0000 - 26.0000 Clamping range 19 to 18		
18	COLLETS 20.032	2/pcs	
	Item Dimensions (mm):20.032 X 1.000 L:40mm Item Weight: 0.20-0.35 Dia. Range1.0000 - 26.0000 Clamping Range: 20 to 19		
19	COMPRESSION CUTTER FOR PLYWOOD	2/pcs	
	COMPRESSION CUTTER (Ø6.0X5.0X20.0X64.0) 2FLUTE		
20	COMPRESSION CUTTER FOR PLYWOOD	2/pcs	
	COMPRESSION CUTTER (Ø9.525.0X5.0X24.0X76.0) 2 FLUTE		
21	COMPRESSION CUTTER FOR PLYWOOD	2/pcs	
	COMPRESSION CUTTER (Ø12.0X10.0X38.0X100.0) 2 FLUTE		
22	CARBIDE END MILL SINGLE FLUTE 4.00	2/pcs	
	Item Dimensions (mm): Shank dia.: 4.000 X L: 40.000 Cutting Direction: Right-Hand ,Helix Angle: 30°,Material: Solid Carbide, Shank: HA, Type: Single Flute Aluminum, Tolerance: h10		
23	CARBIDE END MILL SINGLE FLUTE 5.00	2/pcs	
	Item Dimensions (mm):Shank dia: 5.000 X L: 50.000 Cutting Direction: Right-Hand ,Helix Angle: 30°,Material: Solid Carbide, Shank: HA, Type: Single Flute Aluminum, Tolerance: h10		
24	CARBIDE END MILL SINGLE FLUTE 6.00	2/pcs	
	Item Dimensions (mm):Shank dia: 5.000 X L: 50.000 Cutting Direction: Right-Hand ,Helix Angle: 30°,Material: Solid Carbide, Shank: HA, Type: Single Flute Aluminum, Tolerance: h10		
25	CARBIDE END MILL SINGLE FLUTE 8.00	2/pcs	
	Item Dimensions (mm): Shank dia.: 8.000 X L:63.000 Cutting Direction: Right-Hand ,Helix Angle: 30°, Material: Solid Carbide, Shank: HA, Type: Single Flute Aluminum, Tolerance: h10		
26	CARBIDE END MILL SINGLE FLUTE 10.00	2/pcs	
	Item Dimensions (mm): Shank Dia.: 10.000 X L: 73.000 Cutting Direction: Right-Hand ,Helix Angle: 30°, Material: Solid Carbide, Shank: HA, Type: Single Flute Aluminum, Tolerance: h10		
27	CARBIDE END MILL SINGLE FLUTE 12.00	2/pcs	
	Item Dimensions (mm): Shank Dia.: 12.000 X L: 83.000 Cutting Direction: Right-Hand ,Helix Angle: 30°, Material: Solid Carbide, Shank: HA, Type: Single Flute Aluminum, Tolerance: h10		
28	BALLNOSE END MILL LONG 3.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL LONG SERIES (Ø 3.0X20.0X47.0X75.0) 4 FLUTE		

29	BALLNOSE END MILL LONG 4.00	2/pcs	post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a) (iii) and/or GCC Clause 2.1(a) (ii).
	CARBIDE BALLNOSE ENDMILL LONG SERIES (Ø 4.0X25.0X47.0X75.0) 4 FLUTE		
30	BALLNOSE END MILL LONG 5.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL LONG SERIES (Ø 5.0X30.0X47.0X75.0) 4 FLUTE		
31	BALLNOSE END MILL LONG 6.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL LONG SERIES (Ø 6.0X30.0X39.0X75.0) 4 FLUTE		
32	BALLNOSE END MILL LONG 8.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL LONG SERIES (Ø 8.0X40.0X64.0X100) 4 FLUTE		
33	BALLNOSE END MILL LONG 10.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL LONG SERIES (Ø 10.0X40.0X60.0X100) 4 FLUTE		
34	BALLNOSE END MILL Standard 3.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL STANDARD (Ø 3.0X7.0X11.9X57.0) 2 FLUTE		
35	BALLNOSE END MILL STANDARD SIZE 4.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL STANDARD (Ø 4.0X8.0X13.4X57.0) 2 FLUTE		
36	BALLNOSE END MILL STANDARD SIZE 5.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL STANDARD (Ø 5.0X10.0X16.9X57.0) 2 FLUTE		
37	BALLNOSE END MILL STANDARD SIZE 6.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL STANDARD (Ø 6.0X10.0X21.0X57.0) 2 FLUTE		
38	BALLNOSE END MILL STANDARD SIZE 8.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL STANDARD (Ø 8.0X16.0X27.0X63.0) 2 FLUTE		
39	BALLNOSE END MILL STANDARD SIZE 10.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL STANDARD (Ø 10.0X19.0X32.0X72.0) 2 FLUTE		
40	BALLNOSE END MILL STANDARD SIZE 12.00	2/pcs	
	CARBIDE BALLNOSE ENDMILL STANDARD (Ø 12.0X22.0X38.0X83.0) 2 FLUTE		
41	60° CHAMFERING MILLING TOOL CUTTER	2/pcs	
	Item Dimensions (mm): diameter 4.000 X L: 50.000, Chamfer Included Angle Degrees:60°, Cutting Edge: Deburring Tools, Material: Carbide Flutes :4 Shank Type: HA cylindrical		
42	60° CHAMFERING MILLING TOOL CUTTER	2/pcs	
	Item Dimensions (mm): diameter 6.000 X L: 57.000, Chamfer Included Angle Degrees:60°, Cutting Edge: Deburring Tools, Material: Carbide Flutes :4 Shank Type: HA cylindrical		
43	60° CHAMFERING MILLING TOOL CUTTER	2/pcs	
	Item Dimensions (mm): diameter 8.000 X L: 63.000, Chamfer Included Angle Degrees:60°, Cutting Edge: Deburring Tools, Material: Carbide Flutes :4 Shank Type: HA cylindrical		
44	60° CHAMFERING MILLING TOOL CUTTER	2/pcs	
	Item Dimensions (mm): dia.: 10.000 X L: 72.000 Chamfer Included Angle Degrees:60°, Cutting Edge: Deburring Tools, Material: Carbide Flutes :4 Shank Type :HA cylindrical		
45	60° CHAMFERING MILLING TOOL CUTTER	2/pcs	
	Item Dimensions (mm): dia: 12.000 X L: 83.000 Chamfer Included Angle Degrees:60° , Cutting Edge: Deburring Tools, Material: Carbide Flutes :4 Shank Type :HA cylindrical		
46	CHAMFERING MILLING TOOL CUTTER 4.00	2/pcs	
	Item Dimensions (mm): dia.: 4.000 X L:50.000 Chamfer Included Angle Degrees:90°,Cutting Edge: Deburring Tools, Material: Carbide, Flutes :4 Shank Type :HA cylindrical		
47	CHAMFERING MILLING TOOL CUTTER 6.00	2/pcs	
	Item Dimensions (mm): dia.: 6.000 X L:57.000 Chamfer Included Angle Degrees:90°, Cutting Edge: Deburring Tools, Material: Carbide, Flutes :4 Shank Type: HA cylindrical		
48	CHAMFERING MILLING TOOL CUTTER 8.00	2/pcs	

	Item Dimensions (mm): dia.: 8.000 X L: 63.000 Chamfer Included Angle Degrees:90°, Cutting Edge: Deburring Tools, Material: Carbide, Flutes :4 Shank Type: HA cylindrical		
49	CHAMFERING MILLING TOOL CUTTER 10.00	2/pcs	
	Item Dimensions (mm): dia: 10.000 X L: 72.000 Chamfer Included Angle Degrees:90°, Cutting Edge: Deburring Tools, Material: Carbide, Flutes :4 Shank Type: HA cylindrical		
50	CHAMFERING MILLING TOOL CUTTER 12.00	2/pcs	
	Item Dimensions (mm): dia: 12.000 X L: 83.000 Chamfer Included Angle Degrees:90°, Cutting Edge: Deburring Tools, Material: Carbide, Flutes :4 Shank Type: HA cylindrical		
51	END MILL 2 FLUTE 3.00	2/pcs	
	Item Dimensions (mm): Dia.:3.000 X 57.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.03mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
52	END MILL 2 FLUTE 4.00	2/pcs	
	Item Dimensions (mm): dia:4.000 X L: 57.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.03mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
53	END MILL 2 FLUTE 5.00	2/pcs	
	Item Dimensions (mm): dia:5.000 XL: 57.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.03mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
54	END MILL 2 FLUTE 6.00	2/pcs	
	Item Dimensions (mm): dia:6.000 X L: 57.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.03mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
55	END MILL 2 FLUTE 8.00	2/pcs	
	Item Dimensions (mm): dia:8.000 X L: 63.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.05mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
56	END MILL 2 FLUTE 10.00	2/pcs	
	Item Dimensions (mm): dia:10.000 X L:72.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.05mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
57	END MILL 2 FLUTE 12.00	2/pcs	
	Item Dimensions (mm): dia: 12.000 X L: 83.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.1mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
58	XYZ Z7, END MILL 2 FLUTE	2/pcs	
	Item Dimensions (mm): dia: 16.000 X L:92.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.1mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
59	XYZ Z7, END MILL 2 FLUTE	2/pcs	
	Item Dimensions (mm): dia: 18.000 X L:92.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.1mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
60	XYZ Z7, END MILL 2 FLUTE	2/pcs	

	Item Dimensions (mm): dia: 20.000 X L:104.000 Cutting Direction: Right Hand, Cutting Edge Corner: Chamfer 0.1mm, Helix Angle: 45, Material: Carbide, Corner Chamfer (mm):0.030, Flutes :2, Shank Type: HA cylindrical		
	Compliance:		
	Preferably with brochure / catalogue of the item being offered		
	Preferably with Manufacturer's Authorization Form or		
	Preferably with Warranty Certificate from Manufacturer and/or		
	Contract Implementation: The supplier must advise the Supply Office of the delivery schedule at least three (3) calendar days before the actual delivery.		

Prepared by:

ENGR. AL JUSTIN GERONIMO
Technical Working Group

ENGR. ARVIN JULIUS TULLAO
Technical Working Group

I undertake to comply and deliver all the above requirements are true and correct, otherwise, if found false either during evaluation or during post-qualifications, he same shall give rise to automatic disqualification of our bid:

Company Name : _____
Address : _____

AUTHORIZED REPRESENTATIVE:

Signature : _____
Complete Name : _____
Date : _____

Section VII. Technical Specifications

Item	Description	Qty./unit	Statement of Compliance
LOT 2			
1	SOLID CARB. SIGNUM TORUS END MILL GUH.STD. LONG R.H. 2 FLUTES WITH NECK AND..CORNER RAD. R 0,1	2/pcs	Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found
	CARBIDE BULL NOSE ENDMILL(Ø0.5X1.0X6.0XR0.1X5.1°) 2 FLUTE		
2	SOLID CARB. SIGNUM TORUS END MILL GUH.STD. LONG R.H. 2 FLUTES WITH NECK AND..CORNER RAD. R 0,2	2/pcs	
	CARBIDE BULL NOSE ENDMILL(Ø1.0X2.0X12.0X20.0XR0.2X4.4°) 2 FLUTE		
3	SOLID CARB. SIGNUM TORUS END MILL GUH.STD. LONG R.H. 2 FLUTES WITH NECK AND..CORNER RAD. R 0,2	2/pcs	
	CARBIDE BULL NOSE ENDMILL(Ø2.0X3.0X18.0X35.0XR0.2X3.3°) 2 FLUTE		
4	SOLID CARB. SIGNUM TORUS END MILL GUH.STD. LONG R.H. 2 FLUTES WITH NECK AND CORNER RAD. R 0,1	2/pcs	
	CARBIDE BALLNOSE ENDMILL LONG SERIES (Ø 5.0X30.0X47.0X75.0) 4 FLUTE		
5	SOLID CAR. SL-END MILL DIN 6527L RW FORM B S.S.	2/pcs	
	CARBIDE ENDMILL (Ø3.0X7.0X11.9X57.0) 2FLUTE		
6	SOLID CAR. SL-END MILL DIN 6527L RW FORM B S.S.	2/pcs	
	CARBIDE ENDMILL (Ø4.0X8.0X13.4X57.0) 2FLUTE		
7	SOLID CAR. SL-END MILL DIN 6527L RW FORM B S.S.	2/pcs	
	CARBIDE ENDMILL (Ø5.0X10.0X16.9X57.0) 2FLUTE		
8	SOLID CAR. SL-END MILL DIN 6527L RW FORM B S.S.	2/pcs	
	CARBIDE ENDMILL (Ø6.0X10.0X21.0X57.0) 2FLUTE		
9	SOLID CARBIDE COMPRESSION SPIRAL (CS2RB 6.0)	2/pcs	
	COMPRESSION CUTTER (Ø6.0X5.0X20.0X64.0) 2FLUTE		
10	COLLET 1,016 DIN 6499	2/pcs	
	ER16 Length: 27.5mm (CLAMPING RANGE dia. 1.0-0.5)		
11	COLLET 2,016 DIN 6499	2/pcs	
	ER16 Length: 27.5 mm (CLAMPING RANGE dia.2.0-1.0)		
12	COLLET 3,016 DIN 6499	2/pcs	
	ER16 length: 27.5mm (CLAMPING RANGE dia. 3.0-2.0)		
13	COLLET 4,016 DIN 6499	2/pcs	
	ER16 length: 27.5mm (CLAMPING RANGE dia. 4.0-3.0)		
14	COLLET 5,016 DIN 6499	2/pcs	
	ER16 length: 27.5mm (CLAMPING RANGE dia. 5.0-4.0)		
15	COLLET 6,016 DIN 6499	2/pcs	
	ER16 Length:27.5mm (CLAMPING RANGE dia. 6.0-5.0)		
16	COLLET 7,016 DIN 6499	2/pcs	
	ER16 length:27.5mm (CLAMPING RANGE dia. 7.0-6.0)		
17	COLLET 8,016 DIN 6499	2/pcs	
	ER16 length:27.5mm (CLAMPING RANGE dia. 8.0-7.0)		
18	COLLET 9,016 DIN 6499	2/pcs	
	ER16 length:27.5mm (CLAMPING RANGE dia. 9.0-8.0)		
19	COLLET 10,016 DIN 6499	2/pcs	
	ER16 length: 27.5mm (CLAMPING RANGE dia.10.0-9.0)		
20	COLLET 1,516 DIN 6499	2/pcs	
	ER16 length:27.5mm (CLAMPING RANGE dia. 1.5-1.0)		
21	COLLET 2,516 DIN 6499	2/pcs	
	ER16 length:27.5mm (CLAMPING RANGE dia.2.5-1.5)		

22	SOL CARBIDE K30/K40 BALL NOSE 1MM	2/pcs	evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a) (iii)
	CARBIDE BALLNOSE ENDMILL Ø1.0		
23	CARBIDE END MILL	2/pcs	
	CARBIDE END MILL (Ø3.0X8.0X12.9X57.0) 4 FLUTE		
24	CARBIDE END MILL	2/pcs	
	CARBIDE END MILL (Ø4.0X11.0X16.9X57.0) 4 FLUTE		
25	CARBIDE END MILL	2/pcs	
	CARBIDE END MILL (Ø6.0X13.0X21.0X57.0) 4 FLUTE		
26	CARBIDE BALLNOSE ENDMILL(Ø1.0XR0.5X30) 2 FLUTE	22/pcs	
	2-Flute Ball Endmill, ZrN Coated (6.2deg, 0.5mm dia, 6mm shank, 26.5mm cut, 75mm length)		
27	CARBIDE END MILL (Ø6.0X16.0X23.0X50.0) 2 FLUTE	2/pcs	
	2-Flute Spiral Endmill (6mm dia, 6mm shank, 22mm cut, 63mm length)		
28	CARBIDE END MILL (Ø6.0X24.0X32.0X68) 4 FLUTE	2/pcs	
	CARBIDE END MILL (Ø6.0X24.0X32.0X68) 4 FLUTE		
	Compliance:		
	Preferably with brochure / catalogue of the item being offered		
	Preferably with Manufacturer's Authorization Form or Certificate as Authorized Distributor/Reseller or Certificate of Registration as Manufacturer/Fabricator		
	Preferably with Warranty Certificate from Manufacturer and/or Supplier/Authorized Reseller		
	Contract Implementation: The supplier must advise the Supply Office of the delivery schedule at least three (3) calendar days before the actual delivery.		

Prepared by:

ENGR. AL JUSTIN GERONIMO

Technical Working Group

ENGR. ARVIN JULIUS TULLAO

Technical Working Group

I undertake to comply and deliver all the above requirements are true and correct, otherwise, if found false either during evaluation or during post-qualifications, he same shall give rise to automatic disqualification of our bid:

Company Name : _____
Address : _____

AUTHORIZED REPRESENTATIVE:

Signature : _____
Complete Name : _____
Date : _____