



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

****Mandatory to fill in****

COMPANY NAME:	Quotation No. 22-09-612
CONTACT No.	Purchase Request No. F-2022-09-0442
Address:	Purpose: For the project i-DRIP, under the DOST-GIA Funding
TIN No.	ABC: 16,940.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase Order
EMAIL ADDRESS:	

INSTRUCTIONS TO SUPPLIERS:

1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes**.
2. It is mandatory to **indicate the brand and/or model** of the items being offered and to **attach a brochure** thereof whenever applicable
3. Indicate the **warranty period** in cases of equipment or whenever applicable.
4. Forthwith submit the accomplished quotation **duly signed by your representative**.
5. Suppliers are required and mandated to attach and submit the following documentary requirements:
a) Valid Mayor's/ Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
6. All items must conform with the **internationally accepted standard** and **sub-standard items shall not be accepted**.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
1	Water Flow Meter - Plastic 1/2" NPS Threaded Working Voltage: 5 to 18VDC <input type="checkbox"/> Max current draw: 15mA @ 5V <input type="checkbox"/> Working Flow Rate: 1 to 30 Liters/Minute <input type="checkbox"/> Working Temperature range: -25 to 80°C <input type="checkbox"/> Working Humidity Range: 35%-80% RH <input type="checkbox"/> Maximum water pressure: 2.0 Mpa <input type="checkbox"/> Output duty cycle: 50% +/-10% <input type="checkbox"/> Output rise time: 0.04us <input type="checkbox"/> Output fall time: 0.18us <input type="checkbox"/> Flow rate pulse characteristics: Frequency (Hz) = 7.5 * Flow rate (L/min) <input type="checkbox"/> Pulses per Liter: 450 <input type="checkbox"/> Durability: minimum 300,000 cycles <input type="checkbox"/> 1/2" NPS nominal pipe connections, 0.78" outer diameter, 1/2" of thread <input type="checkbox"/> Size: 2.5" x 1.4" x 1.4" <input type="checkbox"/> Output duty cycle: 50% +/-10% <input type="checkbox"/>	8 pcs			
2	PPR Quick Connector Hot-Melt-Free Hot & Cold Water Pipe PPR Fittings <input type="checkbox"/> 1/2" Coupling <input type="checkbox"/> Double Layer Seal Ring <input type="checkbox"/>	6 pcs			
3	Elbow Hose Connectors 2-Way Pipe Irrigation Fitting 1/2" <input type="checkbox"/> Garden Water Connectors <input type="checkbox"/> Garden Water Connector Type : Hose Splitters <input type="checkbox"/> Material: Plastic <input type="checkbox"/> Plastic Type: PP <input type="checkbox"/> Standard: DIN <input type="checkbox"/> Black <input type="checkbox"/>	10 pcs			
4	PPR Fittings Pipe Clamp w/cap <input type="checkbox"/> 1/2" 20mm <input type="checkbox"/> White	10 pcs			
5	12mm to 16mm Barbed Hose Straight Connector Garden Irrigation System Pipe Quick Coupling Fittings <input type="checkbox"/> Material: Plastic <input type="checkbox"/> Color: Black	20 pcs			
6	1/2" Male Female Thread Connector Inner Diameter 12mm Pipe Fittings Water Supply Distribution Joint <input type="checkbox"/> Material: Plastic <input type="checkbox"/> 1Pc x 1/2" Male thread water tank connector <input type="checkbox"/> 1Pc x 1/2" Female Thread to 12mm barbed connector <input type="checkbox"/>	16 pcs			
<i>page 1 of 4</i>					
NOTE: Please attach brochure and indicate days of delivery					

Accomplished by:

By the authority of the University President.

Supplier's Representative
 (Print name and Signature)

DR. DOLLY P. MAROMA
 BAC Chairman

Date Accomplished : _____

Canvassed by:

 Name and Signature



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

****Mandatory to fill in****

COMPANY NAME:	Quotation No. 22-09-612
CONTACT No.	Purchase Request No. F-2022-09-0442
Address:	Purpose: For the project i-DRIP, under the DOST-GIA Funding
TIN No.	ABC: 16,940.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase Order
EMAIL ADDRESS:	

INSTRUCTIONS TO SUPPLIERS:

- Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes**.
- It is mandatory to **indicate the brand and/or model** of the items being offered and to **attach a brochure** thereof whenever applicable
- Indicate the **warranty period** in cases of equipment or whenever applicable.
- Forthwith submit the accomplished quotation **duly signed by your representative**.
- Suppliers are required and mandated to attach and submit the following documentary requirements:
a) Valid Mayor's/ Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
- All items must conform with the **internationally accepted standard** and **sub-standard items shall not be accepted**.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
7	20mm PVC Pipe Y Tee Connector Tube Adapter Fittings Water Pipe Joints Material: PVC Size:20mm ~ 50mm(Inner diameter) Connection method:Glue White	4 pcs			
8	PPR Gate Check Ball Valve 1/2" Heavy Duty Heavy Duty, 100% polypropylene resin material	4 pcs			
9	20mm to 12mm PVC Hose Quick Connector PVC Pipe Adapter White Material: PVC	30 pcs			
10	12V Solar Submersible Hot Water Pump Circulation 212°F Brushless Motor Low consumption & low noise Max operating temperature up to 100°C with External circulating water flow Inlet/Outlet: 1/2" male thread. Power: 8.4W Max Water Head: 3 m(9.84feet) Max Flow Rate: 8L/Min(2.1GPM) Low noise: 30db at 1 metre Max circulating water temperature: 100°C/212°F Overall Length: 92mm/3.62" Outlet Diameter: 20.4mm/0.80" Head Diameter: 37mm/1.46"	4 pcs			
11	Food Grade Transparent Silicone Rubber Hose Length: 1 meter Color: translucent 12*16mm Temperature Range: -60°C to 200°C	3 pcs			
12	PVC Blue Coupling Reducer Or Reducer Socket For Water Lines Water Pipes 1 1/2 x 1/2 (50x20mm) Non Toxic Lead Free PSI index 150	1 pcs			
page 2 of 4					
NOTE: Please attach brochure and indicate days of delivery					

Accomplished by:

By the authority of the University President.

Supplier's Representative
(Print name and Signature)

DR. DOLLY P. MAROMA
BAC Chairman

Date Accomplished : _____

Canvassed by:

Name and Signature



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

****Mandatory to fill in****

COMPANY NAME:	Quotation No. 22-09-612
CONTACT No.	Purchase Request No. F-2022-09-0442
Address:	Purpose: For the project i-DRIP, under the DOST-GIA Funding
TIN No.	ABC: 16,940.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase Order
EMAIL ADDRESS:	

INSTRUCTIONS TO SUPPLIERS:

1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes**.
2. It is mandatory to **indicate the brand and/or model** of the items being offered and to **attach a brochure** thereof whenever applicable
3. Indicate the **warranty period** in cases of equipment or whenever applicable.
4. Forthwith submit the accomplished quotation **duly signed by your representative**.
5. Suppliers are required and mandated to attach and submit the following documentary requirements:
a) Valid Mayor's/ Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
6. All items must conform with the **internationally accepted standard** and **sub-standard items shall not be accepted**.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
13	1/2" Hose Connectors Y Pipe Irrigation Fitting Type: Garden Water Connectors Garden Water Connector Type: Hose Splitters Material: Plastic Plastic Type: PP Power: 8.4W Standard: DIN Black	20 pcs			
14	Water Dispenser Faucet Water Nozzle Accessories Valve Switch Outlet Push Hot Water Purifier Push Cup Universal Parts 15mm*56mm*146mm*45mm	3 pcs			
15	Elbow Hose Barb Plastic Fitting 90 Degree Equal Barbed Joint Adapter L Shape 10mm Wear Resistant PE Non Toxic or Odor Function: Hose connection	10 pcs			
16	Water Dispenser Hose High Temperature Hose Silicone Hose Interface L shaped 9.8mm*35mm*13mm*17.5mm Length: 109mm	1 pcs			
17	Water Dispenser Hose High Temperature Hose Silicone Hose Interface S shaped 9.5mm*45mm*13mm*16mm Length: 68mm	1 pcs			
18	Food Grade Clear Silicone Rubber Hose Flexible Tube Plumbing Hose 1m-12x16mm Color : Translucent Temperature Range: -60°C to 280°C	4 pcs			
<i>page 3 of 4</i>					
NOTE: Please attach brochure and indicate days of delivery					

Accomplished by:

Supplier's Representative
(Print name and Signature)

Date Accomplished : _____

By the authority of the University President.

DR. DOLLY P. MAROMA
BAC Chairman

Canvassed by:

Name and Signature



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

****Mandatory to fill in****

COMPANY NAME:	Quotation No. 22-09-612
CONTACT No.	Purchase Request No. F-2022-09-0442
Address:	Purpose: For the project i-DRIP, under the DOST-GIA Funding
TIN No.	ABC: 16,940.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase Order
EMAIL ADDRESS:	

INSTRUCTIONS TO SUPPLIERS:

1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes**.
2. It is mandatory to **indicate the brand and/or model** of the items being offered and to **attach a brochure** thereof whenever applicable
3. Indicate the **warranty period** in cases of equipment or whenever applicable.
4. Forthwith submit the accomplished quotation **duly signed by your representative**.
5. Suppliers are required and mandated to attach and submit the following documentary requirements:
a) Valid Mayor's/ Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
6. All items must conform with the **internationally accepted standard** and **sub-standard items shall not be accepted**.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
19	Drain Tank Outlet Water Tank Adapter <input type="checkbox"/> Inner diameter: 20mm <input type="checkbox"/> Material: PVC <input type="checkbox"/> Fixed Method: Glue <input type="checkbox"/>	4 pcs			
20	Rubber Ring Silicon PTFE Flat Gasket Sealing Ring <input type="checkbox"/> Size: 1/2" <input type="checkbox"/> Material: Silica gel <input type="checkbox"/> Color: White <input type="checkbox"/>	2 pcs			
21	Adjustable Stainless Steel Drive Hose Clamps Garden Pipe Fastening Buckle	12 pcs			
22	Stainless Steel Hose Clamp Adjustable Duct Clamps Hose Clamp Fuel Line Clamp with Handle <input type="checkbox"/> 13-19mm <input type="checkbox"/> Material: 201 Stainless steel <input type="checkbox"/> Color: Silver	28 pcs			
page 4 of 4					
BY LOT					
NOTE: Please attach brochure and indicate days of delivery					

Accomplished by:

 Supplier's Representative
 (Print name and Signature)

Date Accomplished : _____

By the authority of the University President.

 DR. DOLLY P. MAROMA
 BAC Chairman

Canvassed by:

 Name and Signature