



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

****Mandatory to fill in****

| | |
|---------------------------|--|
| COMPANY NAME: | Quotation No. 22-09-613 |
| CONTACT No. | Purchase Request No. F-2022-09-0443 |
| Address: | Purpose: For the project i-DRIP, under the DOST-GIA Funding |
| TIN No. | ABC: 16,500.00 |
| PhilGEPS Registration No. | Delivery Period: 7 Calendar Days upon receipt of Purchase Order |
| EMAIL ADDRESS: | |

INSTRUCTIONS TO SUPPLIERS:

1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes**.
2. It is mandatory to **indicate the brand and/or model** of the items being offered and to **attach a brochure** thereof whenever applicable
3. Indicate the **warranty period** in cases of equipment or whenever applicable.
4. Forthwith submit the accomplished quotation **duly signed by your representative**.
5. Suppliers are required and mandated to attach and submit the following documentary requirements:
a) Valid Mayor's/ Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
6. All items must conform with the **internationally accepted standard** and **sub-standard items shall not be accepted**.

| ITEM NO. | ITEM & SPECIFICATION | QTY/UNIT | BRAND & MODEL OFFERED | UNIT PRICE | TOTAL PRICE |
|---|--|-------------|-----------------------|------------|-------------|
| 1 | Digital Multimeter 3-3 / 4 digits 4000 count 0.7% best accuracy Capacitance measurement Frequency measurement (AC sine wave only) Data hold / Range hold Relative value Auto power off (30min.) (cancelable) Low power ohm (input voltage 0.4V) at continuity range Solid & protective body cover that can also be used as a tilt stand Display : numeral display 4000 Sampling rate :3 times / sec. AC frequency bandwidth : 40~400Hz | 1 pc | | | |
| 2 | MPR121 Sensor channel capacitive touch sensor breakout board | 12- 1 pc | | | |
| 3 | XKC-Y25-NPN Sensor High-speed operation capacity to achieve non-contact liquid level detection | 1 pc | | | |
| 4 | Optical level sensor RoHS Compliant. -Easily Mounting method with locking nut. Sizement range:single-point measurements -Equipped With 50 cm cable length. -Excuse Accuracy:1mm -output Current:15ma -voltage Power:5v | 1 pc | | | |
| 5 | Ultrasonic level sensor Electrical parameters: JSN-SR04T Operating voltage: DC 5V Quiescent current: 5mA Total current work: 30mA Acoustic emission frequency: 40khz Farthest distance: 4.5m Blind: 25cm Wiring: + 5V (positive power supply) Trig (control side) RX Echo (the receiver) TX GND (negative) Module size: 41mm * 28.5mm Resolution: about 0.5cm Angle: less than 50 degrees Working temperature: -10 ~ 70 °C Storage temperature: -20 ~ 80 °C | 1 pc | | | |
| <i>page 1 of 4</i> | | | | | |
| NOTE: Please attach brochure and indicate days of delivery | | | | | |

Accomplished by:

Supplier's Representative
(Print name and Signature)

Date Accomplished : _____

By the authority of the University President.

DR. DOLLY P. MAROMA
BAC Chairman

Canvassed by:

Name and Signature



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

****Mandatory to fill in****

| | |
|---------------------------|---|
| COMPANY NAME: | Quotation No. 22-09-613 |
| CONTACT No. | Purchase Request No. F-2022-09-0443 |
| Address: | Purpose: For the project i-DRIP, under the DOST-GIA Funding |
| TIN No. | ABC: 16,500.00 |
| PhilGEPS Registration No. | Delivery Period: 7 Calendar Days upon receipt of Purchase Order |
| EMAIL ADDRESS: | |

INSTRUCTIONS TO SUPPLIERS:

1. Please quote your lowest price on the item/s listed below comprising the necessary taxes.
2. It is mandatory to indicate the brand and/or model of the items being offered and to attach a brochure thereof whenever applicable
3. Indicate the warranty period in cases of equipment or whenever applicable.
4. Forthwith submit the accomplished quotation duly signed by your representative.
5. Suppliers are required and mandated to attach and submit the following documentary requirements:
a) Valid Mayor's/ Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

| ITEM NO. | ITEM & SPECIFICATION | QTY/UNIT | BRAND & MODEL OFFERED | UNIT PRICE | TOTAL PRICE |
|---|--|----------|-----------------------|------------|-------------|
| 6 | Threaded Pressure sensor Working Voltage: 5V DC - Output Voltage: 0.5-4.5V DC - Working Current: <=10 mA - Working Pressure Range: 0-0.5 MPa / 0-0.8 MPa - The Highest Pressure: 1.5 MPa - Destroy Pressure: 3.0 MPa - Working TEMP. Range: 0-85 Degree Celsius - Storage Temperature Range: 0-100 Degree Celsius - Measuring Error: 1.0 %FSO - Temperature Range Error: 3.0 %FSO - Response Time: <=2.0 ms - Cycle Life: 500,000 times | 1 pc | | | |
| 7 | Resistance Temperature Detector (PT100) Probe Material: 201 Stainless steel Elements Material: Heraeus PT100 Temperature Range: -20~450 degrees Protection Tube Length: 100mm/3.9in, 200mm/7.9in Pipe Diameter: 8mm Thread Type: NPT1/2" Configuration: 3 wires | 1 pc | | | |
| 8 | Thermocouple Material: Stainless steel Purpose: Temperature sensor Probe Diameter: Approx.7mm / 0.3in Insertion Depth: Approx.200mm / 7.9in Temperature Measurement Range: 0-600°C | 1 pc | | | |
| 9 | Food Grade Solenoid Valve Voltage: 12V DC / 24V DC / 220V AC Nominal diameter: G1/2" Water pressure: 0.02-0.8Mpa Size: 6.5 x 6 x 3.5cm | 1 pc | | | |
| 10 | Self priming diaphragm pump Voltage: 12v DC Power: 70 W Operating pressure: 3kgf / cm and sup; two; Maximum pressure: 5 kgF / cm 2; Maximum flow (without tube, without viscous liquid): 6L / min Suction head: 1.2 meters Discharge head: 30 meters Maximum liquid temperature: 70 ° Colour:white Material:plastic Size:174*77mm | 1 pc | | | |
| page 2 of 4 | | | | | |
| NOTE: Please attach brochure and indicate days of delivery | | | | | |

Accomplished by:

Supplier's Representative
(Print name and Signature)

Date Accomplished : _____

By the authority of the University President.

DR. DOLLY P. MAROMA
BAC Chairman

Canvassed by:

Name and Signature



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

****Mandatory to fill in****

| | |
|---------------------------|--|
| COMPANY NAME: | Quotation No. 22-09-613 |
| CONTACT No. | Purchase Request No. F-2022-09-0443 |
| Address: | Purpose: For the project i-DRIP, under the DOST-GIA Funding |
| TIN No. | ABC: 16,500.00 |
| PhilGEPS Registration No. | Delivery Period: 7 Calendar Days upon receipt of Purchase Order |
| EMAIL ADDRESS: | |

INSTRUCTIONS TO SUPPLIERS:

1. Please quote your lowest price on the item/s listed below comprising the necessary taxes.
2. It is mandatory to indicate the brand and/or model of the items being offered and to attach a brochure thereof whenever applicable
3. Indicate the warranty period in cases of equipment or whenever applicable.
4. Forthwith submit the accomplished quotation duly signed by your representative.
5. Suppliers are required and mandated to attach and submit the following documentary requirements:
 a) Valid Mayor's/ Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

| ITEM NO. | ITEM & SPECIFICATION | QTY/UNIT | BRAND & MODEL OFFERED | UNIT PRICE | TOTAL PRICE |
|---|--|----------|-----------------------|------------|-------------|
| 11 | 2 Pin Crimp Wire Connector Terminal (2 PINS) Automotive Electrical 2.8mm 2 Pin Crimp Wire Connector Terminal (2 PINS) | 1 pack | | | |
| 12 | 3 Pin Crimp Wire Connector Terminal (3 PINS) Automotive Electrical 2.8mm 2 Pin Crimp Wire Connector Terminal (3 Pins) | 1 pack | | | |
| 13 | Automatic Wire Stripper | 1 pc | | | |
| 14 | Heavy Duty Crimping Plier Wire Cutter Strip 9" | 1 pc | | | |
| 15 | 10 Pairs JST (Japan Solderless Terminal) Wire (2-Pin) 2.54mm Cable 22AWG Wire 2Pin Socket Male Female Connector (2 PIN) (10 Pairs 20cm) | 1 pack | | | |
| 16 | 10 Pairs JST (Japan Solderless Terminal) Wire (3-Pin) 2.54mm Cable 22AWG Wire 3-Pin Socket Male Female Connector (3 PIN) (10 Pairs 20cm) | 1 pack | | | |
| 17 | Wire Cable Connector Wiring Terminal 10A 220V Pin Wire Cable Connector Wiring Terminal (3 HEADS) 20 PCS | 1 pack | | | |
| 18 | Wire Cable Connector Wiring Terminal 10A 220V Pin Wire Cable Connector Wiring Terminal (3 HEADS) 20 PCS | 1 pack | | | |
| 19 | Stranded Wire 22 AWG 1Meter Electrical Copper Cable LED Audio DIY Electronics Projects RED | 1 pack | | | |
| 20 | Stranded Wire 22 AWG 1Meter Electrical Copper Cable LED Audio DIY Electronics Projects BLACK | 1 pack | | | |
| 21 | Stranded Wire 22 AWG 1Meter Electrical Copper Cable LED Audio DIY Electronics Projects BLUE | 1 pack | | | |
| 22 | Reverse Osmosis quick connector fittings Straight Female Adapter BSPT Quick Fittings Quick Connect Reverse Osmosis Water Purifier | 1 pc | | | |
| 23 | Polyethylene Pipe Tube 1/4 inch Outer Diameter Food Grade 1 meter 1/4" Tubing Reverse Osmosis Water Fitting | 1 pc | | | |
| 24 | LED Mini Metal Indicator Light Signal Lamp with thread Metal and 12V | 1 pack | | | |
| page 3 of 4 | | | | | |
| NOTE: Please attach brochure and indicate days of delivery | | | | | |

Accomplished by:

By the authority of the University President.

Supplier's Representative
 (Print name and Signature)

DR. DOLLY P. MAROMA
 BAC Chairman

Date Accomplished : _____

Canvassed by:

 Name and Signature



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

****Mandatory to fill in****

| | |
|---------------------------|--|
| COMPANY NAME: | Quotation No. 22-09-613 |
| CONTACT No. | Purchase Request No. F-2022-09-0443 |
| Address: | Purpose: For the project i-DRIP, under the DOST-GIA Funding |
| TIN No. | ABC: 16,500.00 |
| PhilGEPS Registration No. | Delivery Period: 7 Calendar Days upon receipt of Purchase Order |
| EMAIL ADDRESS: | |

INSTRUCTIONS TO SUPPLIERS:

1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes**.
2. It is mandatory to **indicate the brand and/or model** of the items being offered and to **attach a brochure** thereof whenever applicable
3. Indicate the **warranty period** in cases of equipment or whenever applicable.
4. Forthwith submit the accomplished quotation **duly signed by your representative**.
5. Suppliers are required and mandated to attach and submit the following documentary requirements:
a) Valid Mayor's/ Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
6. All items must conform with the **internationally accepted standard** and **sub-standard items shall not be accepted**.

| ITEM NO. | ITEM & SPECIFICATION | QTY/UNIT | BRAND & MODEL OFFERED | UNIT PRICE | TOTAL PRICE |
|----------|--|----------|-----------------------|------------|-------------|
| 25 | Digital LCD Thermometer Temperature Gauge Probe Sensor -50°C TO +110°C Range | 1 pack | | | |
| 26 | 2A Fuse 5x20mm Glass safety tube/fuse 250V 2A | 1 box | | | |
| 27 | Multipurpose Nylon Cable Tie Self Locking Zip Ties Cable Strap 3x100mm Black | 1 pack | | | |
| 28 | Soldering Lead 200 grams 1.0mm | 1 roll | | | |
| 29 | Accessories for Mini Rotary Drill Die Grinder 250pcs accessories | 1 set | | | |
| 30 | XL4016 Input voltage: DC 10-32 V Output Voltage: DC 12-35 V(Adjustable) The Output Current: 6 a (MAX) Input current: 10A (MAX) | 4 pcs | | | |
| 31 | LM2596s Input Voltage: 4-35V Adjustable Output Voltage: 1.25-30V 7 segment display Output Current: 3A PCB Size: 68x35mm | 2 pcs | | | |
| 32 | Cutting disc 4inch. For Metal And Stainless steel (25/box) (BLACK) | 1 box | | | |
| 33 | Flap Disc 10 pcs/Box For Metal Wood Paint 4" 100mm x 16mm (80 Grit) | 1 box | | | |
| | page 4 of 4 BY LOT | | | | |
| | NOTE: Please attach brochure and indicate days of delivery | | | | |

Accomplished by:

 Supplier's Representative
 (Print name and Signature)

Date Accomplished : _____

By the authority of the University President.

 DR. DOLLY P. MAROMA
 BAC Chairman

Canvassed by:

 Name and Signature