

REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 22-09-615
CONTACT No.	Purchase Request No. F-2022-09-0445
Address:	Purpose: For the project i-DRIP, under the DOST-GIA Funding
TIN No.	ABC: 8,400.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes.**
- 2. It is mandatory to **indicate the brand** and/**or model** of the items being offered and to **attach a brochure** thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:
- a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
- 6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
1	Arduino Mega R3 / Arduino Mega 2560 CH340G Acrylic Case 3mm acrylic 130mm x 65mm x 15mm Mounting Screws and Nuts included	1 pc			
2	2-IN 12-OUT Terminal Wiring Connector Single-phase Terminal Block Box FJ6 JHD Junction Box Use current: less than 200A $220\mathrm{v}/380\mathrm{v}$	1 pc			
3	Pure copper ring Lug Terminals OT80A Wire Crimp Terminal Connectors O-ring Shaped	2 pcs			
4	5M 600LEDS LED RGB Strip Light SMD 3528 Flexible Light Operating voltage: DC 12V 600LEDs for 10 meters Operating temperature: -20 to 60 ° Plug Type: US Plug Material:ABS Includes 1 * 24key IR Remote Controller	1 pc			
5	XL4016 DC CC 9A 300W Step Down Buck Converter 5-40V To 1.2-35V Power module non-isolated step-down constant current, constant voltage module (CC CV) Output Voltage: DC 0.8-28V continuously adjustable Efficiency: Up to 95% (when output voltage is set high) Protection: Short circuit current limiting, thermal shutdown Temperature: 40 to +85° C (output power less than 10Watts) Includes 1 * 24key IR Remote Controller Load Regulation: +/- 1% Voltage Regulation: +/- 1% Size: 65 x 36 x 23 mm	4 pcs			
	page 1 of 5				
	NOTE: Please attach brochure and indicate days of delivery				

Accomplished by:	
	By the authority of the University President.
Compliants Dangeroutation	DR. DOLLY P. MAROMA
Supplier's Representative (Print name and Signature)	BAC Chairman
(1 Thit hame and Signature)	DAC Chairman
Date Accomplished :	Canvassed by:
	N 10' (
BulSU-OP-PU-03F3	Name and Signature
Revision: 1	

JAM 9-21-2022



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 22-09-615
CONTACT No.	Purchase Request No. F-2022-09-0445
Address:	Purpose: For the project i-DRIP, under the DOST-GIA
	Funding
TIN No.	ABC: 8,400.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes.**
- 2. It is mandatory to **indicate the brand** and/**or model** of the items being offered and to **attach a brochure** thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:
- a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
- 6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
6	16-Channel 12-bit PWM Servo Driver - PCA9685 Dimensions (no headers or terminal block) 2.5" x 1" x 0.1" (62.5mm x 25.4mm x 3mm) Weight (with 3×4 headers & terminal block): 9grams Configurable push-pull or open-drain output Adjustable frequency PWM up to about 1.6 KHz Output enable pin Includes: 4 pieces of 3×4 male straight header 2-pin terminal block 6-pin 0.1" header□	1 pc			
7	DC 4.5-40V to 5V 2A USB Charger LED Step-down Buck Converter with Voltmeter Module Low Power Consumption Automatic Protection Input voltage: DC 4.5 ~ 40V Output voltage: 5V (when the input voltage is between 6.5V ~ 40V). Output current: 2A. Automatic calibration function Reverse connection protection Reverse connection protection Overheat protection and short circuit protection High efficiency and low ripple	2 pcs			
8	4 Channel 12 V relay module with optocoupler for arduino 250VAC 10A, 15A 125VAC Indicator LEDs 12V control voltage	1 pc			
9	6V 12V 24V 28V 3A 80W DC Motor Controller (PWM) Speed Adjustable ABS,Plastic,metal 5 * 3.2 * 1.5cm Input power range DC6-28V. Control the forward or reverse direction and the stop of DC motor by switch Potentiometer with switch function Switch cable length 15cm	4 pcs			
10	L Type PCB Mounting Feet with Screw Fit for Arcade Gaming Board Replacement Parts JX-002L, 2cm Plastic White	50 pcs			
	page 2 of 5				
	NOTE: Please attach brochure and indicate days of delivery				

Accomplished by:	
	By the authority of the University President.
Supplier's Representative	DR. DOLLY P. MAROMA
(Print name and Signature)	BAC Chairman
Date Accomplished :	Canvassed by:
D. JCH OD DH 00F2	Name and Signature
BuISU-OP-PU-03F3 Revision: 1	
AM 9-21-2022	



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 22-09-615
CONTACT No.	Purchase Request No. F-2022-09-0445
Address:	Purpose: For the project i-DRIP, under the DOST-GIA Funding
TIN No.	ABC: 8,400.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes.**
- 2. It is mandatory to **indicate the brand** and/**or model** of the items being offered and to **attach a brochure** thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:
- a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
- 6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
11	DC Power Supply Module 2.8cm x 1.3cm 3.2g Suitable connector: 5.5 x 2.1mm Output power connector: VCC x2, GNN x2	11 pcs			
12	1M Flexible Silicone Cable Arduino 22 AWG-Silicone wire 1 Black 1 Red Rated voltage: 600V Temperature range: Max 200°C	2 pcs			
13	JST (Japan Solderless Terminal) Wire Pairs 2Pin 2P Cables Plug Connector 22 AWG Wire Wire diameter: 1.7mm Max Voltage: 300V Male 20cm + Female 20cm	10 pcs			
14	Pairs XH2.54 Wire Cable 3 Pin XH Plug Male & Female Battery Charging Cable 26 AWG Pitch: 2.5mm±0.05 Male connector with 20cm cable + Female connector with 20cm cable	5 pcs			
15	RVB Cable Electrico Copper Rubber LED Wire Red Black 2Pin Insulated Extend Cord Car Audio Cable Speaker Wire Copper core PVC wire 18 AWG Rated Current: 3.15A Rated voltage: 300V 2m	2 pcs			
16	1.5M HDMI High Speed Cable Gold Plated Connection HDMI male to HDMI male cable "Feather:Ethernet Channel; 3D; Audio/Video Return; ARC" "Connector A:HDMI 1.4 Standard Male" "Conductor Plating:100% Pure Copper" Supported Resolutions: 480i, 1080p, FHD "Shielding level:Triple"	2 pcs			
	page 3 of 5				
	NOTE: Please attach brochure and indicate days of delivery				

16	#IDMI male cable "Feather:Ethernet Channel; 3D; Audio/Video Return; ARC" "Connector A:HDMI 1.4 Standard Male" "Conductor Plating:100% Pure Copper" Supported Resolutions: 480i, 1080p, FHD "Shielding level:Triple"	2 pcs	
	page 3 of 5		
	NOTE: Please attach brochure and indicate days of delivery		
Accompli	shed by: Supplier's Representative	-	By the authority of the University President. DR. DOLLY P. MAROMA
	(Print name and Signature)		BAC Chairman
Date Acco	omplished :		Canvassed by:
BulSU-Ol Revision:	P-PU-03F3 1		Name and Signature
JAM 9-21-20	022		



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 22-09-615
CONTACT No.	Purchase Request No. F-2022-09-0445
Address:	Purpose: For the project i-DRIP, under the DOST-GIA Funding
TIN No.	ABC: 8,400.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes.**
- 2. It is mandatory to **indicate the brand** and/**or model** of the items being offered and to **attach a brochure** thereof whenever applicable
- 3. Indicate the warranty period in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation duly signed by your representative.
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:
- a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership Certificate
- 6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
17	Male 15cm Barrel DC Jack Adapter Connector Cord 15cm Red & Black wire jackets indicate polarity and 2.1x5.5mm 18 AWG thick copper wires	5 pcs			
18	Universal Travel Adapter Plug Adaptor Outlet Socket Current: 10A Voltage: 250V	2 pcs			
19	US Plug 3 Pin Power Cord Cable 3 Prong Computer AC Cord Adapter Lead 3 prong female power plug (IEC C5) on the other end 3 grounded plug with two prong male and one round male (Nema 5-15P) on one end Cable Length: 1.5m (Approx.)	1 pcs			
20	Centralized Power Supply Output voltage: DC12V 40A Input voltage: AC110/220V ± 15% Grid frequency 50/60Hz ± 10% Peak - peak noise voltage ≤ 200mV□ Operating Frequency 100KHz Efficiency> 88% Electromagnetic compatibility reach BS6527B class standards Dielectric strength AC1500V Operating temperature -20° - +45°	1 pcs			
21	1.5m Printer Cable USB Type A Male to B Male Cable Cord Connector A: USB 2.0, Connector B: USB Black	1 pcs			
22	Female 15cm Barrel DC Jack Adapter Connector Cord Female DC pigtails with 15cm Red & Black wire jackets indicate polarity and 2.1x5.5mm 18 AWG thick copper wires	1 pcs			
	page 4 of 5		_		
	NOTE: Please attach brochure and indicate days of delivery				

Accomplished by:	
	By the authority of the University President.
Supplier's Representative	DR. DOLLY P. MAROMA
(Print name and Signature)	BAC Chairman
Date Accomplished :	Canvassed by:
BulSU-OP-PU-03F3	Name and Signature
Revision: 1	

JAM 9-21-2022



REQUEST FOR QUOTATION FOR THE PROCUREMENT OF GOODS AND SERVICES

Mandatory to fill in	
COMPANY NAME:	Quotation No. 22-09-615
CONTACT No.	Purchase Request No. F-2022-09-0445
	Purpose: For the project i-DRIP, under the DOST-GIA Funding
TIN No.	ABC: 8,400.00
PhilGEPS Registration No.	Delivery Period: 7 Calendar Days upon receipt of Purchase
EMAIL ADDRESS:	Order

INSTRUCTIONS TO SUPPLIERS:

- 1. Please **quote your lowest price** on the item/s listed below **comprising the necessary taxes.**
- 2. It is mandatory to indicate the brand and/or model of the items being offered and to attach a brochure thereof whenever applicable
- 3. Indicate the **warranty period** in cases of equipment or whenever applicable.
- 4. Forthwith submit the accomplished quotation **duly signed by your representative.**
- 5. Suppliers are required and mandated to attach and submit the following documentary requirements:
- a) Valid Mayor's/Business Permit; b) BIR Certificate of Registration; c) Authority to Print Receipt; and d) PhilGEPS Membership
- 6. All items must conform with the internationally accepted standard and sub-standard items shall not be accepted.

ITEM NO.	ITEM & SPECIFICATION	QTY/UNIT	BRAND & MODEL OFFERED	UNIT PRICE	TOTAL PRICE
23	830 Breadboard Set Tie-points Breadboard Set Electronic Component Basic Starter Kit Resistor Capa Component listing: 1pcs Power Supply Module 1pcs 830 tie-points Breadboard 1pcs 65 Jumper Wire 140pcs Solderless Jumper Wire 20pcs Female-to-male Dupont Wire 2pcs Pin header (40pin) 1pcs Precision Potentiometer 2pcs Photoresistor 1pcs Thermistor 5pcs Diode Rectifier (1N4007) 5pcs NPN Transistor (PN2222) 1pcs IC 4N35 1pcs 65 Jumper Wire 1pcs Active Buzzer 21pcs Passive Buzzer 21pcs Passive Buzzer 10pcs Button (small) 10pcs 22pf Ceramic Capacitor 10pcs 104 Ceramic Capacitor 5pcs Electrolytic Capacitor (10UF 50V) 5pcs Electrolytic Capacitor (10UF 50V) 10pcs White LED 10pcs Pellow LED 10pcs Red LED 10pcs Red LED 10pcs Red LED 10pcs Resistor (10R) 10pcs Resistor (220R) 10pcs Resistor (330R) 10pcs Resistor (2K) 10pcs Resistor (10K)	1 pc			
24	USB LED Night Lights Mini Portable Atmosphere Lamp Certification: CE Voltage: 5V Material Type: PC,metal Light Source: Color LED Color: Blue Feature: Mini USB Decorative Lamp	2 pcs			
	page 5 of 5				
	BY LOT				
	NOTE: Please attach brochure and indicate days of delivery				
	11012. Heast attach biochure and muicate days of delivery				

page 5 of 5				
BY LOT				
NOTE: Please attach brochure and indicate days of delivery				
NOTE. Flease attach brochure and indicate days of derivery				
Accomplished by:	By the authority of the University President.			
	by the authority of the Oniversity President.			
Supplier's Representative	DR. DOLLY P. MAROMA			
(Print name and Signature)	BAC Chairman Canvassed by:			
Date Accomplished :				
	Name and Comptions			
BulSU-OP-PU-03F3	Name and Signature			
Revision: 1				
JAM 9-21-2022				